


# Research results — Tromsø University, Norway



## Overjet (mm)




Myrlund, R., Dubland, M., Keski-Nisula, K., & Kerosuo, H. (2014). One year treatment effects of the eruption guidance appliance in 7-to 8-year-old children: a randomized clinical trial. *The European Journal of Orthodontics*, cju014. <http://dx.doi.org/10.1093/ejo/cju014>

# Research results — Tromsø University, Norway



## Overbite (mm)




Myrlund, R., Dubland, M., Keski-Nisula, K., & Kerosuo, H. (2014). One year treatment effects of the eruption guidance appliance in 7-to 8-year-old children: a randomized clinical trial. *The European Journal of Orthodontics*, cju014. <http://dx.doi.org/10.1093/ejo/cju014>

# Research results — Tromsø University, Norway



## Crowding (mandible)




Myrlund, R., Dubland, M., Keski-Nisula, K., & Kerosuo, H. (2014). One year treatment effects of the eruption guidance appliance in 7-to 8-year-old children: a randomized clinical trial. The European Journal of Orthodontics, cju014. <http://dx.doi.org/10.1093/ejo/cju014>

# Research results — Tromsø University, Norway



## Molar relationship



Myrlund, R., Dubland, M., Keski-Nisula, K., & Kerosuo, H. (2014). One year treatment effects of the eruption guidance appliance in 7-to 8-year-old children: a randomized clinical trial. The European Journal of Orthodontics, cju014. <http://dx.doi.org/10.1093/ejo/cju014>